

Please forgive me to add this directly into the full paper, because I did not find the form of not including on the AgEcon Search. I am writing to require that it will not have this submission form of my accepted contributed paper “Gaofei Yang- Smartphone use and environmental efficiency of maize production in China: Correcting for selectivity bias” included or archived on the AgEcon Search repository at the University of Minnesota.

Smartphone use and environmental efficiency of maize production in China: Correcting for selectivity bias

Gaofei Yang · Maria Vrachioli · Jianjun Tang* · Johannes Sauer

Contributed Paper prepared for presentation at the 97th Annual Conference of
the Agricultural Economics Society, University of Warwick, United Kingdom

27 – 29 March 2023

Copyright 2023 by [author(s)]. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

*[Corresponding author: Jianjun Tang] School of Agricultural Economics and Rural Development, Renmin University of China, 59 Zhongguancun Ave., Beijing 100872.
E-mail address: j.tang@ruc.edu.cn (J. Tang).

[Acknowledgements] (if applicable)

Abstract

While there is a broad literature on the impact of information technologies (IT) on the economic performance of different industries, only a few studies have looked at the environmental effect of IT adoption in agricultural production from an economic perspective. This study aims to investigate the effect of smartphone use on environmental efficiency based on a cross-sectional dataset covering 449 maize farmers in Henan, Shandong, and Gansu Provinces, China, in 2017. The translog hyperbolic distance function with stochastic frontier (SF) model is employed to assess environmental efficiency. Greene's (2010) selectivity-bias-corrected SF approach is used to examine how smartphone usage affects environmental efficiency, accounting for the selectivity bias arising from unobservable factors. Our results show that greenhouse gas (GHG) emissions from maize production are, on average, 876.1 kg·Ce/mu, and the mean environmental efficiency of maize production is 0.83.

Keywords [Smartphone use, Environmental efficiency, Selectivity bias, Stochastic Frontier model, Translog hyperbolic distance function, Greenhouse gas emissions]

JEL code Production; Cost; Capital; Capital, Total Factor, and Multifactor Productivity; Capacity D24, Micro Analysis of Farm Firms, Farm Households, and Farm Input Markets Q12, Valuation of Environmental Effects Q51 - see: www.aeaweb.org/jel/guide/jel.php?class=Q

1 Introduction

There is a consensus that information and communication technologies (ICT) adoption could help disseminate agricultural marketing information fast and at a low cost (H. Zheng et al. 2021; Michels et al. 2020; Aker and Ksoll 2016). The widespread adoption of ICT in developing countries such as China can reduce the information asymmetry of agricultural markets. The number of rural Internet users in China has reached 225 million, and the Internet penetration rate increased from 32% in 2015 to 38% in 2018 (CNNIC 2019). More than 95% of Internet users in rural China access agricultural information through smartphone applications (Ma and Zheng 2021), such as weather reports, the comparison of the price and quality of agricultural inputs, and relevant news and videos about new sustainable agricultural technologies.

Our objective is to examine the effect of smartphone use on the environmental efficiency of maize production. Farmers and policymakers usually ignore the undesirable by-products in agricultural production because it is hardly marketed and priced. Therefore, a more appropriate tool for estimating environmental efficiency would be a composite index, which simultaneously allows the undesired outputs to be reduced and the desired outputs to be increased. We utilize the translog hyperbolic distance function (HDF) in the stochastic frontier (SF) framework to assess the environmental efficiency of maize production based on a sample of 449 farm households in the 3 main corn-producing provinces in China. We also apply Greene's (2010) SF approach with full information maximum likelihood estimation (FIMLE) to analyze the unbiased impact of smartphone use on environmental efficiency, accounting for the selectivity bias from unobserved factors.

Environmental efficiency is derived from distinguishing between desirable outputs and undesirable outputs based on distance functions, which can be further calculated by parametric (stochastic frontier analysis, SFA) or nonparametric (data envelopment analysis, DEA) approach (Adenuga et al. 2019; Färe et al. 2007; Färe & Grosskopf 2000; Reinhard et al. 2000; Cuesta et al. 2009; Picazo-Tadeo et al. 2012). For example, Cuesta et al. (2009) introduced the properties of the conventional output distance function and hyperbolic distance function within a parametric stochastic framework to calculate environmental efficiency with SO₂ emissions by the U.S. electricity industry with the application of country-level panel data. Adenuga et al. (2019) applied the hyperbolic distance function with SF model in a dairy farm to analyze the environmental efficiency and consequently estimated the shadow price of N surplus using panel data from the island of Ireland.

Previous studies have also shown that ICT, such as the Internet and smartphone use, has direct effects on the environment. Especially in agricultural production, Internet use could help reduce the overuse of environmentally detrimental inputs, such as chemical fertilizers and pesticides, which could improve agricultural sustainability

(Ma and Zheng 2022; Pitt et al. 2011; Yuan et al.2021; Zhao et al. 2021; Kaila and Tarp 2019). They suggested that ICT adoption, such as Internet use or smartphone use, can improve agricultural sustainability via transaction cost reduction, easy access to market information, government services, and information about refraining from the usage of environmentally detrimental inputs and reduce the pollutants to alleviate the climate change (Deichmann et al. 2016; Li et al. 2022; Munyegera and Matsumoto 2018) . However, the environmental effect of ICT adoption on the environmental efficiency of agricultural production, from the economic perspective, has hardly been analyzed.

The rest of the paper is structured as follows. In Section 2, we present the theoretical framework and methods used in the research, and we also provide a detailed description of data and empirical specification models in Section 3. We explain and discuss the empirical results in Section 4. Section 5 concludes with consequent policy implications.

2 Theoretical Framework

We present the theoretical model for our study in this section, which allows us to assess the environmental efficiency of maize production by incorporating GHG emissions as an undesirable output into the translog hyperbolic distance function with parametric SF framework. We also describe the Greene's (2010) SF model, which allows us to evaluate the impact of smartphone use on environmental efficiency after correcting the potential self-selectivity bias.

2.1 Environmental efficiency (EE) estimation

We applied the translog hyperbolic distance function (D_H) to undesirable outputs to estimate the environmental efficiency of maize production, which can be expressed as:

$$D_H(x, y, w) = \inf \left\{ \lambda > 0 \mid \left(x, \frac{y}{\lambda}, \lambda w \right) \in P \right\} \quad (1)$$

where $D_H(x, y, w)$, x is a vector of input quantities, y is a vector of output quantities, and P represents the output possibility set in Eq. (1). λ indicates the degree of the same proportional changes of the desirable and undesirable output in opposite directions. Thus, it returns a non-negative value smaller than one for inefficient sets of $D_H(x, y, w)$, or it returns a value of one for fully efficient sets of $D_H(x, y, w)$. The general form of the translog hyperbolic distance function can be expressed as presented in Eq. (2).

$$D_H(x, \lambda y, \lambda^{-1} w) = \lambda D_H(x, y, w), \lambda > 0 \quad (2)$$

The almost homogeneity condition of the hyperbolic distance function implies that if the desirable outputs increase at a given proportion, the undesirable outputs will decrease, and the distance function will increase by the same proportion, given the constant level of all inputs. Furthermore, it is non-decreasing in desirable outputs, $D_H(x, \lambda y, w) \leq D_H(x, y, w)$, $\lambda \in [0, 1]$; non-increasing in undesirable outputs $D_H(x, y, \lambda w) \leq D_H(x, y, w)$, $\lambda \geq 1$ and non-increasing in inputs $D_H(\lambda x, y, w) \leq D_H(x, y, w)$, $\lambda \geq 1$. Then, imposing the almost homogeneity condition by setting $\lambda = \frac{1}{y_m}$ (y_m , the Mth output), it can be transformed as given in Eq. (3).

$$D_H \left(x_i, \frac{y_i}{y_m}, w_i y_m \right) = \frac{1}{y_m} D_H(x_i, y_i, w_i) \quad (3)$$

After taking log in Eq. (3),

$$\frac{\ln D_H(x_i, y_i, w_i)}{\ln y_m} = \ln D_H\left(x_i, \frac{y_i}{y_m}, w_i y_m\right) \quad (4)$$

The stochastic frontier analysis (SFA) framework enable us to estimate the frontier of best production practices, which assumes that there is an inefficiency term and a standard error term. Following Cuesta et al. (2009) and Adenuga et al. (2019), we get the specification of the translog hyperbolic distance function in Eq. (5).

$$\begin{aligned} \frac{\ln D_H(x_i, y_i, w_i)}{y_{moi}} &= \alpha_0 + \sum_{j=1}^J \alpha_j \ln x_{ji} + \frac{1}{2} \sum_{j=1}^J \sum_{j'=1}^J \alpha_{jj'} \ln x_{ji} \ln x_{j'i} + \sum_{m=1}^{M-1} \beta_m \ln y_{mi}^* \\ &+ \frac{1}{2} \sum_{m=1}^{M-1} \sum_{m'=1}^{M-1} \beta_{mm'} \ln y_{mi}^* \ln y_{m'i}^* + \sum_{k=1}^K \gamma_k \ln w_{ki}^* + \frac{1}{2} \sum_{k=1}^K \sum_{k'=1}^K \gamma_{kk'} \ln w_{ki}^* \ln w_{k'i}^* \\ &+ \sum_{j=1}^J \sum_{m=1}^{M-1} \delta_{jm} \ln x_{ji} \ln y_{mi}^* + \sum_{j=1}^J \sum_{k=1}^K \psi_{jk} \ln x_{ji} \ln w_{ki}^* + \sum_{m=1}^{M-1} \sum_{k=1}^K \mu_{mk} \ln y_{mi}^* \ln w_{ki}^* + v_i \end{aligned} \quad (5)$$

where $y_{mi}^* = \frac{y_{mi}}{y_{moi}}$ and $w_{ki}^* = w_{ki} * y_{moi}$. $\alpha, \beta, \gamma, \delta, \psi$, and μ are parameters to be estimated. Assuming that $u \equiv -\ln D_H(x_i, y_i, w_i) \geq 0$ follows a half-normal or truncated normal distribution (i.e., $u \sim N^+(\mu, \sigma_u^2)$) and another disturbance term v follows a normal distribution (i.e., $v \sim N(0, \sigma_v^2)$). The stochastic translog hyperbolic distance function model can be specified as given in Eq. (6).

$$\begin{aligned} -\ln y_{moi} &= \alpha_0 + \sum_{j=1}^J \alpha_j \ln x_{ji} + \frac{1}{2} \sum_{j=1}^J \sum_{j'=1}^J \alpha_{jj'} \ln x_{ji} \ln x_{j'i} + \sum_{m=1}^{M-1} \beta_m \ln y_{mi}^* \\ &+ \frac{1}{2} \sum_{m=1}^{M-1} \sum_{m'=1}^{M-1} \beta_{mm'} \ln y_{mi}^* \ln y_{m'i}^* + \sum_{k=1}^K \gamma_k \ln w_{ki}^* + \frac{1}{2} \sum_{k=1}^K \sum_{k'=1}^K \gamma_{kk'} \ln w_{ki}^* \ln w_{k'i}^* \\ &+ \sum_{j=1}^J \sum_{m=1}^{M-1} \delta_{jm} \ln x_{ji} \ln y_{mi}^* + \sum_{j=1}^J \sum_{k=1}^K \psi_{jk} \ln x_{ji} \ln w_{ki}^* + \sum_{m=1}^{M-1} \sum_{k=1}^K \mu_{mk} \ln y_{mi}^* \ln w_{ki}^* \\ &\quad + (v_i - u_i) \end{aligned} \quad (6)$$

u and v in Equation (6) should be conditionally independent; the inefficiency term and a disturbance term account for statistical noise. Environmental efficiency can be calculated by $u = -\ln D_H$ and expressed by $E[\exp(-u)]$.

2.2 Sample selection correction model

The original SF model with the composed error term can be written as follows (Aigner et al. 1977; Meeusen et al. 1977):

$$\begin{aligned} y_i &= \beta x_i + v_i - u_i \\ u_i &= \sigma_u |U_i|, u_i \sim N(0,1) \\ v_i &\sim N(0, \sigma_v^2) \end{aligned} \quad (7)$$

where y_i is the logarithmic output quantity of each farm i ; x_i is the vector of input quantities in logarithmic form; β denotes the vector of parameters to be estimated; v_i denotes the statistical noise (random variations) with variance σ_v^2 ; u_i represents the inefficiency term with scale parameter σ_u ; and $N(\cdot)$ indicates normal distribution.

To correct the sample selection bias, the SF model can be conducted using various techniques. For example, Greene (2010) utilized the maximum simulated likelihood (MSL) approach. However, we use the full information maximum likelihood (FIMLE) (Dakpo et al., 2021), which is more appropriate than MSL, considering undesirable outputs with the hyperbolic distance function.

Following the FIMLE of Dakpo et al. (2021), the conditional density (on U_i) of the two-sided error disturbance v_i is:

$$f(y_i|x_i, |U_i|) = \frac{1}{\sigma_v} \phi\left(\frac{y_i - \beta x_i + \sigma_u |U_i|}{\sigma_v}\right) \quad (8)$$

where ϕ is the density function of the standard normal distribution, and $|U_i| \in [0, \infty)$. The log-likelihood function can be obtained by integrating the density in Equation (13) over the range of $|U_i|$. Thus:

$$\log f(y_i|x_i) = \log \int_{U_i} \frac{1}{\sigma_v} \phi\left(\frac{y_i - \beta x_i + \sigma_u |U_i|}{\sigma_v}\right) p(|U_i|) d|U_i| \quad (9)$$

where $p(|U_i|) = 2\phi(U_i)$. The canonical form of Heckman's (1979) two-step model for the correction of sample selection bias is:

$$\begin{aligned} y_i &= \beta x_i + v_i \\ D_i^* &= \gamma z_i + w_i \end{aligned} \quad (10)$$

where D_i^* denotes a latent (unobserved) variable; z_i denotes a vector of explanatory variables; γ represents parameters to be estimated; and w_i is an error term accounting for statistical noise. The second one in Eq. (10) is the selection equation model using a probit model to estimate, where $[D_i = 1(D_i^* > 0) \wedge D_i = 0(D_i^* \leq 0)]$ based on the utility maximum theory.

More importantly, values of y and x are only observed when $D_i = 1$, and where N_2

is the bivariate normal distribution. Since Heckman's two-step approach is inappropriate for nonlinear models, such as the translog production function (Greene, 2010), we use FIMLE (Maddala, 1983) to estimate environmental efficiency for correcting its sample selection bias:

$$\begin{aligned} y_i &= \beta x_i + v_i - u_i \\ D_i^* &= \gamma z_i + w_i \end{aligned}$$

$$(v, w) \sim N_2 \left[0, \begin{pmatrix} \sigma_v^2 & \rho\sigma_v \\ \rho\sigma_v & \sigma_w^2 = 1 \end{pmatrix} \right] \quad (11)$$

where ρ indicates the correlation between w_i and v_i capturing the sample selection bias. The full information likelihood is built up from Prob(selection) \times density|selection for selected observations and Prob(non – selection) for non-selected observations. Thus, the conditional (on u_i) density can be written as:

$$L_i = d_i \{f(y_i | x_i, |U_i|, w_i > -\gamma' z_i) P(w_i > -\gamma' z_i)\} + (1 - d_i) P(w_i \leq -\gamma z_i) \quad (12)$$

$$f(y_i | x_i, |U_i|, w_i > -\gamma' z_i) P(w_i > -\gamma' z_i) = \int_{-\gamma' z_i}^{\infty} f(v_i, w_i) dw_i$$

$$\int_{-\gamma' z_i}^{\infty} f(v_i, w_i) dw_i = \phi(v_i) \Phi \left[\frac{\frac{\rho}{\sigma_v} v_i + \gamma' z_i}{\sqrt{1-\rho^2}} \right] \quad (13)$$

where Φ is the cumulative distribution of the standard normal distribution. The log-likelihood function of the model specified in (12) is obtained by integrating the density in (13) over the range of $|U_i|$, where $v_i = y_i - \beta' x_i + \sigma_u |U_i|$. Thus, we have:

$$f(y_i | x_i, |U_i|, w_i > -\gamma' z_i) = \phi(y_i - \beta' x_i + \sigma_u |U_i|) \Phi \left(\frac{\frac{\rho}{\sigma_v} (y_i - \beta' x_i + \sigma_u |U_i|) + \gamma' z_i}{\sqrt{1-\rho^2}} \right) \quad (14)$$

To maximize the log-likelihood function (14) based on a hybrid two-step limited information maximum likelihood (LIML) estimation, the log-likelihood function to be maximized is simplified as follows (with $|U_i| \in [0, \infty)$):

$$\log f(y_i | x_i) = \log \left[\int_{|U_i|} \phi(y_i - \beta' x_i + \sigma_u |U_i|) \Phi \left(\frac{\frac{\rho}{\sigma_v} (y_i - \beta' x_i + \sigma_u |U_i|) + a_i}{\sqrt{1-\rho^2}} \right) d|U_i| \right] \quad (15)$$

where the observations for non-adopted ($D_i = 0$) do not contribute information about the parameters, so that $(1 - D_i) \Phi(a_i) = 0$, and $a_i = \widehat{\gamma} z_i$. To account for sample selection, the estimation of environmental efficiency follows Greene (2010), then

$$P(u_i \varepsilon_i) = \frac{P(u_i \varepsilon_i)}{P(\varepsilon_i)} = \frac{P(u_i \varepsilon_i)P(u_i)}{\int_{u_i} P(u_i \varepsilon_i)P(u_i)du_i}$$

$$E[u_i | \varepsilon_i] = \frac{\int_{u_i} u_i P(\varepsilon_i u_i)P(u_i)du_i}{\int_{u_i} P(\varepsilon_i u_i)P(u_i)du_i} \quad (16)$$

where $P(u_i \varepsilon_i)$ denotes the probability and $\varepsilon_i = v_i - u_i$ and $u_i = \sigma_u |U_i|$. Therefore, $|U_i| \in [0, \infty)$. The denominator of formula (16) is obtained as the predicted value of $f(y_i x_i)$ in Equation (15). The numerator's integral is solved with the parameters obtained from maximizing Equation (16). Finally, environmental efficiency is computed as $\exp[-\widehat{E}[u_i | \varepsilon_i]]$.

3 Data and Empirical Framework

Cross-sectional data collected by a farm household survey in three major maize-producing provinces in China in 2017 were used in this paper to estimate the effect of smartphone use on environmental efficiency. China is the second largest maize-producing country, producing 274 (million tons) in 2022, compared with the biggest maize-producing country, the United States, with 352.9 (million tons) in 2022¹. Maize is mainly produced in Northern China, covering three provinces in Northeastern China (Heilongjiang, Jilin, Liaoning), Shandong, Henan, Hebei, Gansu, Ningxia, Shaanxi, Inner Mongolia, and Shanxi provinces.

The collected information on household demographics and assets, maize production and sale activities, and access to information (e.g., smartphone use) are used to answer our research question. Furthermore, well-trained enumerators recruited from local universities in each province conducted face-to-face interviews with a total of 499 farmers in the selected villages. After cleaning the missing values and extreme values of some observations, we finally used a total of 449 maize farmers, and the validity of this survey is 90%. Smartphone use is defined as a binary variable in this study, which is consistent with previous studies (smartphone papers). Of the 449 farm households interviewed in this survey, 292 are smartphone users, and the other 158 are nonusers and they self-selected themselves to be smartphone users or nonusers.

In order to estimate environmental efficiency, we have to identify and calculate the undesirable output first. The carbon footprint can be defined as a measure of the total amount of carbon dioxide emissions that are directly and indirectly caused by an activity or are accumulated over the life stages of a product (Wiedmann & Minx 2007). While there are various specific definitions of carbon footprint in different industries at different scales (Pandey et al. 2011), the carbon footprint from maize production is generally assessed by the total amount of GHG emissions which is accumulated over the life stages of maize production.

Due to limited data, the carbon footprint from maize production can be measured by the total amount of GHG emissions, including carbon dioxide (CO₂) and indirect nitrous dioxide (N₂O) emissions, induced by chemical fertilizer usage, diesel fuel usage, and openly burnt corn straw, which is accumulated over the life stages of maize production. The GHG emission calculation equations based on the carbon footprint method can be expressed as given in Eq. (17).

¹ IndexMundi is a data portal that gathers facts and statistics from multiple sources and turns them into easy-to-use visuals. Our mission is to turn raw data from all over the world into useful information for a global audience. We capture statistics that are scattered or otherwise hidden and present them via user-friendly maps, charts, and tables which allow visitors to understand complex information at a glance.

$$CF_i = GHG_{fi} + GHG_N + GHG_{di} + GHG_{si}$$

$$GHG_{fi} = \sum_{m=1}^M F_{mi} EF_m + GHG_N$$

$$GHG_N = F_N * EF_N * \delta_N * \frac{44}{28} * 298$$

$$GHG_{di} = D_i * EF_d$$

$$GHG_{si} = Y_i \cdot R \cdot N \cdot CF \cdot EF \quad (17)$$

where CF_i refers to the total carbon footprint of corn production, GHG emissions with unit ($\text{kg} \cdot \text{Ce}/\text{mu}$); CF_{fi} indicates the carbon dioxide emissions from all other fertilizer usage with unit ($\text{kg} \cdot \text{Ce}/\text{mu}$) and CF_{N_2O} denotes the direct N_2O emission from nitrogen fertilizer usage with unit ($\text{kg} \cdot \text{Ce}/\text{mu}$); CF_{di} is the carbon dioxide emissions from diesel fuel usage ($\text{kg} \cdot \text{Ce}/\text{mu}$), and CF_{si} represents the carbon dioxide emissions from openly burning maize straw with unit ($\text{kg} \cdot \text{Ce}/\text{mu}$).

The summary of total GHG emissions from maize production and the separate one induced by chemical fertilizers, diesel fuel, and openly burnt maize straw, respectively. GHG emissions from corn production (undesirable output) are around $876.1 \text{ kg} \cdot \text{Ce}/\text{mu}$ (GHG emissions with carbon equivalent), which is mainly caused by chemical fertilizer usage with $772.5 \text{ kg} \cdot \text{Ce}/\text{mu}$ (GHG emissions with carbon equivalent). The results suggest that it is important to take GHG emissions into account in the analysis of environmental efficiency with a parametric SF model.

4 Results and Discussion

We estimate the environmental efficiency utilizing the translog hyperbolic distance function with Greene's (2010) selectivity-bias-corrected SF model to establish the existence of any selection bias for farmers' decisions to use a smartphone. First, the factors affecting smartphone use are shown and discussed. Second, we present the translog hyperbolic distance function with stochastic frontier estimation results for the whole sample, sub-samples with selectivity bias correction, and without, respectively, to explain the environmental efficiency among maize farmers given to consider the potential self-selectivity for smartphone usage. Finally, environmental efficiency scores for sub-samples with and without sample selection correction are shown and discussed.

Environmental efficiency estimates using the conventional and selectivity-bias-corrected HDF models are illustrated in Table 7, Figure 1 and Figure 2. The mean environmental efficiency of maize production for all of 449 maize farmers is 0.832, which is relatively high and ranges from 0.32 to 0.98. It suggests that maize farmers can improve their production performance by increasing maize yield by 12.02% and simultaneously contracting GHG emissions by 16.8%. The statistical description of environmental efficiency scores for the whole sample and subsamples with and without selection bias correction are presented in Table 7 as well. It also shows a disaggregation in the smartphone use situation. The mean environmental efficiency score among smartphone users (0.86) is significantly higher than that among nonusers (0.82), implying that smartphone users can increase environmental efficiency by 4.89% $(0.86-0.82)/0.82=0.489$. This is in accordance with our hypothesis that smartphone use can help improve the environmental efficiency of maize production.

5 Conclusions

This study analyzed the role of smartphone use in enhancing environmental technical efficiency, using cross-sectional data covering 449 farmers from three main maize-producing provinces in China. We utilized a translog hyperbolic distance function (HDF) with greenhouse gas (GHG) emission and the stochastic frontier (SF) model to assess the environmental efficiency of maize production. We also used the combination of Greene's (2010) sample selection correction SF model and Dakpo's (2021) FIMLE to account for potential selectivity bias associated with unobserved attributes. These approaches allowed us to estimate the unbiased and consistent impact of smartphone use on environmental efficiency.

The empirical results revealed that smartphone use tends to enhance the environmental efficiency (EE) of maize production in China. In particular, for both conventional and sample selection SF model estimations, the results show that smartphone users are more environmentally efficient than nonusers. Moreover, relatively lower EE scores for smartphone nonusers and unchanged EE scores for smartphone users are associated with the use of the sample selection SF model, suggesting that there is no selectivity bias for users based on our available dataset. This also means that in non-randomized studies, it is important to account for selection bias because the significant result of the ρ parameter for users.

References

- Abdul-Salam, Y., & Phimister, E. (2017). Efficiency Effects of Access to Information on Small-scale Agriculture: Empirical Evidence from Uganda using Stochastic Frontier and IRT Models. *Journal of Agricultural Economics*, 68(2), 494–517. <https://doi.org/10.1111/1477-9552.12194>
- Adenuga, A. H., Davis, J., Hutchinson, G., Donnellan, T., & Patton, M. (2019). Environmental Efficiency and Pollution Costs of Nitrogen Surplus in Dairy Farms: A Parametric Hyperbolic Technology Distance Function Approach. *Environmental and Resource Economics*, 74(3), 1273–1298. <https://doi.org/10.1007/s10640-019-00367-2>
- Aigner, D., Lovell, C. A. K., & Schmidt, P. (1977). *FORMULATION AND ESTIMATION OF STOCHASTIC FRONTIER PRODUCTION FUNCTION MODELS**.
- Aker, J. C., & Ksoll, C. (2016). Can mobile phones improve agricultural outcomes? Evidence from a randomized experiment in Niger. *Food Policy*, 60, 44–51. <https://doi.org/10.1016/j.foodpol.2015.03.006>
- Bravo-Ureta, B. E., Greene, W., & Solís, D. (2012a). Technical efficiency analysis correcting for biases from observed and unobserved variables: An application to a natural resource management project. *Empirical Economics*, 43(1), 55–72. <https://doi.org/10.1007/s00181-011-0491-y>
- Bravo-Ureta, B. E., Greene, W., & Solís, D. (2012b). Technical efficiency analysis correcting for biases from observed and unobserved variables: An application to a natural resource management project. *Empirical Economics*, 43(1), 55–72. <https://doi.org/10.1007/s00181-011-0491-y>
- Cai, Y., Qi, W., & Yi, F. (2023). Smartphone use and willingness to adopt digital pest and disease management: Evidence from litchi growers in rural China. *Agribusiness*, 39(1), 131–147. <https://doi.org/10.1002/agr.21766>
- Chambers, R. G., Chung, Y., & Faa, R. (1996). Benefit and Distance Functions. In *Journal of Economic Theory y ET2175 journal of economic theory* (Vol. 70).
- Cheng, K., Yan, M., Nayak, D., Pan, G. X., Smith, P., Zheng, J. F., & Zheng, J. W. (2015). Carbon footprint of crop production in China: An analysis of National Statistics data. *Journal of Agricultural Science*, 153(3), 422–431. <https://doi.org/10.1017/S0021859614000665>
- Couture, V., Faber, B., Gu, Y., & Liu, L. (2021). Connecting the Countryside via E-Commerce: Evidence from China. *American Economic Review: Insights*, 3(1), 35–50. <https://doi.org/10.1257/aeri.20190382>
- Cuesta, R. A. (2005a). Hyperbolic Efficiency and Parametric Distance Functions: With Application to Spanish Savings Banks. In *Journal of Productivity Analysis* (Vol. 24).
- Cuesta, R. A. (2005b). Hyperbolic Efficiency and Parametric Distance Functions: With Application to Spanish Savings Banks. In *Journal of Productivity Analysis* (Vol. 24).
- Cuesta, R. A., Lovell, C. A. K., & Zofío, J. L. (2009). Environmental efficiency measurement with translog distance functions: A parametric approach. *Ecological Economics*, 68(8–9), 2232–2242. <https://doi.org/10.1016/j.ecolecon.2009.02.001>
- Dakpo, K. H., Latruffe, L., Desjeux, Y., & Jeanneaux, P. (2021). Latent Class Modelling

- for a Robust Assessment of Productivity: Application to French Grazing Livestock Farms. *Journal of Agricultural Economics*, 72(3), 760–781. <https://doi.org/10.1111/1477-9552.12422>
- Dakpo, K. H., Latruffe, L., Desjeux, Y., & Jeanneaux, P. (2022). Modeling heterogeneous technologies in the presence of sample selection: The case of dairy farms and the adoption of agri-environmental schemes in France. *Agricultural Economics (United Kingdom)*, 53(3), 422–438. <https://doi.org/10.1111/agec.12683>
- Deichmann, U., Goyal, A., & Mishra, D. (2016). Will digital technologies transform agriculture in developing countries? *Agricultural Economics (United Kingdom)*, 47, 21–33. <https://doi.org/10.1111/agec.12300>
- Deng, X., Xu, D., Zeng, M., & Qi, Y. (2019). Does Internet use help reduce rural cropland abandonment? Evidence from China. *Land Use Policy*, 89. <https://doi.org/10.1016/j.landusepol.2019.104243>
- Duman, Y. S., & Kasman, A. (2018). Environmental technical efficiency in EU member and candidate countries: A parametric hyperbolic distance function approach. *Energy*, 147, 297–307. <https://doi.org/10.1016/j.energy.2018.01.037>
- Faere, R., Grosskopf, S., Lovell, C. A. K., Pasurka, C., & Fare, R. (1989). Multilateral Productivity Comparisons When Some Outputs are Undesirable: A Nonparametric MULTILATERAL PRODUCTIVITY COMPARISONS WHEN SOME OUTPUTS ARE UNDESIRABLE: A NONPARAMETRIC APPROACH. In *Source: The Review of Economics and Statistics* (Vol. 71, Issue 1).
- Färe, R. (2015). Directional Distance Functions Revisited: Selective Overview and Update. *Data Envelopment Analysis Journal*, 1(2), 57–79. <https://doi.org/10.1561/103.000000006>
- Färe, R., Grosskopf, S., & Pasurka, C. A. (2007). Environmental production functions and environmental directional distance functions. *Energy*, 32(7), 1055–1066. <https://doi.org/10.1016/j.energy.2006.09.005>
- Food and Agriculture Organization of the United Nations_2015*. (n.d.).
- Greene, W. (2008a). *A Stochastic Frontier Model with Correction for Sample Selection*.
- Greene, W. (2008b). *A Stochastic Frontier Model with Correction for Sample Selection*.
- Heckman, J. J. (1979). *Sample Selection Bias as a Specification Error* (Vol. 47, Issue 1).
- Hou, L., Keske, C., Hoag, D., Balezentis, T., & Wang, X. (2019). Abatement costs of emissions from burning maize straw in major maize regions of China: Balancing food security with the environment. *Journal of Cleaner Production*, 208, 178–187. <https://doi.org/10.1016/j.jclepro.2018.10.047>
- IPCC-2006*. (n.d.).
- Issahaku, H., Abu, B. M., & Nkegbe, P. K. (2018). Does the Use of Mobile Phones by Smallholder Maize Farmers Affect Productivity in Ghana? *Journal of African Business*, 19(3), 302–322. <https://doi.org/10.1080/15228916.2017.1416215>
- Kaila, H., & Tarp, F. (2019). Can the Internet improve agricultural production? Evidence from Viet Nam. *Agricultural Economics (United Kingdom)*, 50(6), 675–691. <https://doi.org/10.1111/agec.12517>
- Khoshroo, A., Izadikhah, M., & Emrouznejad, A. (2018). Improving energy efficiency considering reduction of CO2 emission of turnip production: A novel data

- envelopment analysis model with undesirable output approach. *Journal of Cleaner Production*, 187, 605–615. <https://doi.org/10.1016/j.jclepro.2018.03.232>
- Kiiza, B., & Pederson, G. (2012). ICT-based market information and adoption of agricultural seed technologies: Insights from Uganda. *Telecommunications Policy*, 36(4), 253–259. <https://doi.org/10.1016/j.telpol.2012.01.001>
- Lawin, K. G., & Tamini, L. D. (2019). Tenure Security and Farm Efficiency Analysis Correcting for Biases from Observed and Unobserved Variables: Evidence from Benin. *Journal of Agricultural Economics*, 70(1), 116–134. <https://doi.org/10.1111/1477-9552.12275>
- Li, B., Zhuo, N., Ji, C., & Zhu, Q. (2022a). Influence of Smartphone-Based Digital Extension Service on Farmers' Sustainable Agricultural Technology Adoption in China. *International Journal of Environmental Research and Public Health*, 19(15). <https://doi.org/10.3390/ijerph19159639>
- Li, B., Zhuo, N., Ji, C., & Zhu, Q. (2022b). Influence of Smartphone-Based Digital Extension Service on Farmers' Sustainable Agricultural Technology Adoption in China. *International Journal of Environmental Research and Public Health*, 19(15). <https://doi.org/10.3390/ijerph19159639>
- Li, H., Fang, K., Yang, W., Wang, D., & Hong, X. (2013). Regional environmental efficiency evaluation in China: Analysis based on the Super-SBM model with undesirable outputs. *Mathematical and Computer Modelling*, 58(5–6), 1018–1031. <https://doi.org/10.1016/j.mcm.2012.09.007>
- Lio, M., & Liu, M.-C. (n.d.). *ICT and agricultural productivity: evidence from cross-country data*.
- Liu, M., Min, S., Ma, W., & Liu, T. (2021). The adoption and impact of E-commerce in rural China: Application of an endogenous switching regression model. *Journal of Rural Studies*, 83, 106–116. <https://doi.org/10.1016/j.jrurstud.2021.02.021>
- Ma, W., Grafton, R. Q., & Renwick, A. (2020). Smartphone use and income growth in rural China: empirical results and policy implications. *Electronic Commerce Research*, 20(4), 713–736. <https://doi.org/10.1007/s10660-018-9323-x>
- Ma, W., & Wang, X. (2020). Internet Use, Sustainable Agricultural Practices and Rural Incomes: Evidence from China. *Australian Journal of Agricultural and Resource Economics*, 64(4), 1087–1112. <https://doi.org/10.1111/1467-8489.12390>
- Ma, W., & Zheng, H. (2022). Heterogeneous impacts of information technology adoption on pesticide and fertiliser expenditures: Evidence from wheat farmers in China*. *Australian Journal of Agricultural and Resource Economics*, 66(1), 72–92. <https://doi.org/10.1111/1467-8489.12446>
- Maddala, G. S. (1983). 00-00-Maddala-1983-FILME-Models of Self-Selectivity. *CAMBRIDGE University Press*.
- Mamardashvili, P., Emvalomatis, G., & Jan, P. (2016). *Give to AgEcon Search Environmental Performance and Shadow Value of Polluting on Swiss Dairy Farms*. <http://ageconsearch.umn.edu>
- Meeusen, W., van den Broeck, J., & Wiley, org. (1977). This content downloaded from 170.140.26.180 on Sun. In *Source: International Economic Review* (Vol. 18, Issue 2).
- Michels, M., Fecke, W., Feil, J. H., Musshoff, O., Lülfs-Baden, F., & Krone, S. (2020).

- “Anytime, anyplace, anywhere”—A sample selection model of mobile internet adoption in German agriculture. *Agribusiness*, 36(2), 192–207. <https://doi.org/10.1002/agr.21635>
- Min, S., Liu, M., & Huang, J. (2020). Does the application of ICTs facilitate rural economic transformation in China? Empirical evidence from the use of smartphones among farmers. *Journal of Asian Economics*, 70. <https://doi.org/10.1016/j.asieco.2020.101219>
- Mwalupaso, G. E., Wang, S., Rahman, S., Alavo, E. J. P., & Tian, X. (2019). Agricultural informatization and technical efficiency in maize production in Zambia. *Sustainability (Switzerland)*, 11(8), 2451. <https://doi.org/10.3390/su11082451>
- Negi, D. S., Birthal, P. S., Roy, D., & Khan, M. T. (2018). Farmers’ choice of market channels and producer prices in India: Role of transportation and communication networks. *Food Policy*, 81, 106–121. <https://doi.org/10.1016/j.foodpol.2018.10.008>
- Nie, P., Ma, W., & Sousa-Poza, A. (2021). The relationship between smartphone use and subjective well-being in rural China. *Electronic Commerce Research*, 21(4), 983–1009. <https://doi.org/10.1007/s10660-020-09397-1>
- Ogutu, S. O., Okello, J. J., & Otieno, D. J. (2014). Impact of information and communication technology-based market information services on smallholder farm input use and productivity: The case of Kenya. *World Development*, 64, 311–321. <https://doi.org/10.1016/j.worlddev.2014.06.011>
- Pandey, D., Agrawal, M., & Pandey, J. S. (2011). Carbon footprint: Current methods of estimation. *Environmental Monitoring and Assessment*, 178(1–4), 135–160. <https://doi.org/10.1007/s10661-010-1678-y>
- Paramesh, V., Arunachalam, V., Nikkhah, A., Das, B., & Ghnimi, S. (2018). Optimization of energy consumption and environmental impacts of arecanut production through coupled data envelopment analysis and life cycle assessment. *Journal of Cleaner Production*, 203, 674–684. <https://doi.org/10.1016/j.jclepro.2018.08.263>
- Picazo-Tadeo, A. J., Beltrán-Esteve, M., & Gómez-Limón, J. A. (2012). Assessing eco-efficiency with directional distance functions. *European Journal of Operational Research*, 220(3), 798–809. <https://doi.org/10.1016/j.ejor.2012.02.025>
- Pishgar-Komleh, S. H., Zylowski, T., Rozakis, S., & Kozyra, J. (2020). Efficiency under different methods for incorporating undesirable outputs in an LCA+DEA framework: A case study of winter wheat production in Poland. *Journal of Environmental Management*, 260. <https://doi.org/10.1016/j.jenvman.2020.110138>
- Pitt, L. F., Parent, M., Junglas, I., Chan, A., & Spyropoulou, S. (2011). Integrating the smartphone into a sound environmental information systems strategy: Principles, practices and a research agenda. *Journal of Strategic Information Systems*, 20(1), 27–37. <https://doi.org/10.1016/j.jsis.2010.09.005>
- Rebolledo-Leiva, R., Angulo-Meza, L., Iriarte, A., & González-Araya, M. C. (2017). Joint carbon footprint assessment and data envelopment analysis for the reduction of greenhouse gas emissions in agriculture production. *Science of the Total Environment*, 593–594, 36–46. <https://doi.org/10.1016/j.scitotenv.2017.03.147>
- Reinhard, S., Lovell, C. A. K., & Thijssen, G. J. (n.d.). *Environmental efficiency with multiple environmentally detrimental variables; estimated with SFA and DEA q*.

www.elsevier.com/locate/orms

- Rosano Peña, C., Serrano, A. L. M., de Britto, P. A. P., Franco, V. R., Guarnieri, P., & Thomé, K. M. (2018). Environmental preservation costs and eco-efficiency in Amazonian agriculture: Application of hyperbolic distance functions. *Journal of Cleaner Production*, 197, 699–707. <https://doi.org/10.1016/j.jclepro.2018.06.227>
- Rose, D. C., Sutherland, W. J., Parker, C., Lobley, M., Winter, M., Morris, C., Twining, S., Ffoulkes, C., Amano, T., & Dicks, L. v. (2016). Decision support tools for agriculture: Towards effective design and delivery. *Agricultural Systems*, 149, 165–174. <https://doi.org/10.1016/j.agsy.2016.09.009>
- Streets, D. G., Yarber, K. F., Woo, J. H., & Carmichael, G. R. (2003). Biomass burning in Asia: Annual and seasonal estimates and atmospheric emissions. *Global Biogeochemical Cycles*, 17(4). <https://doi.org/10.1029/2003gb002040>
- Tamirat, T. W., Pedersen, S. M., & Lind, K. M. (2018). Farm and operator characteristics affecting adoption of precision agriculture in Denmark and Germany. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, 68(4), 349–357. <https://doi.org/10.1080/09064710.2017.1402949>
- Vrachioli, M., Stefanou, S. E., & Tzouvelekas, V. (2021). Impact Evaluation of Alternative Irrigation Technology in Crete: Correcting for Selectivity Bias. *Environmental and Resource Economics*, 79(3), 551–574. <https://doi.org/10.1007/s10640-021-00572-y>
- Vu, H., & Turnell, S. (2012). A parametric measure of productivity change from hyperbolic distance function: Application to the Vietnamese banking industry. In *Journal of Applied Finance & Banking* (Vol. 2, Issue 5). online) Scienpress Ltd.
- Wang, Y., Chen, H., & Zheyang, H. (n.d.). *Research on Environmental Efficiency of Corn Production in China Based on SBM-Undesirable Model: Taking Heilongjiang Province as an Example*.
- Wiedmann, T., & Minx, J. (2007). *A Definition of “Carbon Footprint” ISA UK Research Report 07-01*. www.censa.org.uk
- World Food and Agriculture – Statistical Yearbook 2022. (2022). In *World Food and Agriculture – Statistical Yearbook 2022*. FAO. <https://doi.org/10.4060/cc2211en>
- Yuan, F., Tang, K., & Shi, Q. (n.d.). *Does Internet use reduce chemical fertilizer use? Evidence from rural households in China*. <https://doi.org/10.1007/s11356-020-10944-4/Published>
- Zhao, Q., Pan, Y., & Xia, X. (n.d.-a). *Internet can do help in the reduction of pesticide use by farmers: evidence from rural China*. <https://doi.org/10.1007/s11356-020-10576-8/Published>
- Zhao, Q., Pan, Y., & Xia, X. (n.d.-b). *Internet can do help in the reduction of pesticide use by farmers: evidence from rural China*. <https://doi.org/10.1007/s11356-020-10576-8/Published>
- Zheng, H., Ma, W., Wang, F., & Li, G. (2021a). Does internet use improve technical efficiency of banana production in China? Evidence from a selectivity-corrected analysis. *Food Policy*, 102. <https://doi.org/10.1016/j.foodpol.2021.102044>
- Zheng, H., Ma, W., Wang, F., & Li, G. (2021b). Does internet use improve technical efficiency of banana production in China? Evidence from a selectivity-corrected analysis. *Food Policy*, 102. <https://doi.org/10.1016/j.foodpol.2021.102044>

- Zheng, Y., Fan, Q., & Jia, W. (2022). How Much Did Internet Use Promote Grain Production?—Evidence from a Survey of 1242 Farmers in 13 Provinces in China. *Foods, 11*(10), 1389. <https://doi.org/10.3390/foods11101389>
- Zhou, P., Ang, B. W., & Zhou, D. Q. (2012). Measuring economy-wide energy efficiency performance: A parametric frontier approach. *Applied Energy, 90*(1), 196–200. <https://doi.org/10.1016/j.apenergy.2011.02.025>
- Zhou, P., Zhou, X., & Fan, L. W. (2014). On estimating shadow prices of undesirable outputs with efficiency models: A literature review. *Applied Energy, 130*, 799–806. <https://doi.org/10.1016/j.apenergy.2014.02.049>
- Zhu, X., Hu, R., Zhang, C., & Shi, G. (2021). Does Internet use improve technical efficiency? Evidence from apple production in China. *Technological Forecasting and Social Change, 166*. <https://doi.org/10.1016/j.techfore.2021.120662>